

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# Wholesale Price List--Spring 1952

**AZALEA CALENDULECEA.** Flame Azalea.  
**AZALEA NUDIFLORA.** Pink Azalea.

	Per 100	Per 1000
6 to 12 inch.....	4.00	37.50
12 to 18 inch.....	5.00	45.00
<b>ACER RUBRUM.</b> Red Maple.		
6 to 12 inch.....	2.00	12.50
12 to 18 inch.....	2.50	17.50
18 to 24 inch.....	3.00	22.50
2 to 3 feet.....	4.00	27.50
4 to 6 feet branched.....	35.00	
<b>ACER SACCHARUM.</b> Sugar Maple.		
6 to 12 inch.....	2.00	15.00
12 to 18 inch.....	2.50	20.00
<b>CERCIS CANADENSIS.</b> Redbud.		
6 to 12 inch.....	3.00	25.00
12 to 18 inch.....	3.50	30.00
18 to 24 inch.....	4.00	35.00
<b>LIRIODENDRON.</b> Tulip Tree.		
12 to 18 inch.....	2.00	15.00
18 to 24 inch.....	2.50	20.00
2 to 3 feet.....	3.00	25.00
3 to 4 feet.....	10.00	
4 to 6 feet branched.....	35.00	
<b>LIQUIDAMBER.</b> Sweet Gum.		
12 to 18 inch.....	2.50	20.00
18 to 24 inch.....	3.00	25.00
2 to 3 feet.....	3.50	30.00
3 to 4 feet branched.....	15.00	
4 to 6 feet branched.....	30.00	
<b>QUERCUS PHELLOS.</b> Willow Oak.		
18 to 24 inch.....	3.00	25.00
2 to 3 feet.....	4.00	35.00
3 to 4 feet.....	6.00	50.00
4 to 6 feet.....	25.00	

## VINES

<b>LONICERA.</b> Hall's Honeysuckle.		
	Per 100	Per 1000
8 to 18 inch, 1 to 3 branches.....	3.00	27.50
12 to 18 inch, 3 to 5 branches.....	6.00	55.00
<b>VINCA MINOR.</b> Myrtle Vine.		
Medium clumps.....	3.00	25.00
Heavy clumps.....	5.00	40.00
<b>CELASTRUS SCANDENS.</b> Bittersweet.		
12 to 18 inch liners.....	3.00	25.00
12 to 18 inch branched.....	5.00	40.00

## WANTED

**EUONYMUS.** Patens liners.  
**EUONYMUS.** Japonica liners.  
**ABELIA** Grandiflora liners.  
**ABELIA** Cuttings.

## TERMS AND CONDITIONS OF SALE

**Terms.** Cash with order. C.O.D. Shipments will be made only when 25% is sent with order.  
**Packing.** No charges for packing where cash is sent with order.  
**All orders** become the property of purchaser when received by transportation company.  
**Claims.** No claims will be considered unless made in writing within 10 days after receipt of stock.  
**All orders** accepted subject to prior sale of stock or loss from any cause beyond our control.  
**Reference.** Any bank or business house in McMinnville or any of the leading nurserymen in the United States.  
 A certificate of inspection will accompany each shipment.  
**Location.** We are located 2 miles west of city on Highway 70S.  
 We are not in the Japanese Beetle Zone.

# O. H. PERRY NURSERY CO.

Box 545

McMINNVILLE, TENN.

Phone No. 375-X

## NATIVE EVERGREENS

<b>ILEX OPACA.</b> American Holly.		
	Per 100	Per 1000
4 to 6 inch.....	2.00	15.00
6 to 12 inch.....	3.00	20.00
12 to 18 inch.....	5.00	
<b>JUNIPERUS VIRGINIANA.</b> Red Cedar.		
4 to 6 inch.....	1.50	10.00
6 to 12 inch.....	2.50	20.00
<b>KALMIA LATIFOLIA.</b> Mountain Laurel.		
4 to 6 inch.....	2.50	20.00
6 to 12 inch.....	3.00	25.00
12 to 18 inch.....	5.00	
<b>RHODODENDRON MAXIMUM.</b> Rosebay Rhod.		
2 to 4 inch.....	3.00	25.00
4 to 6 inch.....	4.00	35.00
<b>TSUGA CANADENSIS.</b> Hemlock.		
4 to 6 inch.....	2.00	15.00
6 to 12 inch.....	3.00	22.50
12 to 18 inch.....	5.00	

IF INTERESTED IN TRUCK OR CARLOAD LOTS OF NATIVE EVERGREENS BALLED & BURLAPPED WRITE US FOR QUOTATIONS.

## NATIVE SHADE TREES

**ACER RUBRUM.** Red Maple.  
**ACER SACCHARUM.** Sugar Maple.  
**CERCIS CANADENSIS.** Red Bud.  
**CORNUS FLORIDA.** Dogwood.  
**CLADRASTIS LUTEA.** Yellow Wood.  
**CHIONANTHUS VIRGINICA.** White Fringe.  
**CARPINUS CAROLINIANA.** Hornbeam.  
**CELTIS OCCIDENTALIS.** Hackberry.  
**FAGUS AMERICANA.** American Beech.  
**FRAXINUS AMERICANA.** White Ash.  
**FRAXINUS QUADRANGULATA.** Blue Ash.  
**FRAXINUS LANCEOLATA.** Green Ash.  
**HAMAMELIS VIRGINIANA.** Witchhazel.  
**HICORIA OVATA.** Shagbark Hickory.  
**HICORIA LACINIOSA.** Shellbark Hickory.  
**JUGLANS CINERA.** White Walnut.  
**JUGLANS NIGRA.** Black Walnut.  
**LIQUID-AMBER.** Sweet Gum.  
**LIRIODENDRON.** Tulip Tree.  
**MAGNOLIA ACUMINATA.** Cucumber Tree.  
**MAGNOLIA TRIPETALA.** Largeleaf Magnolia.  
**MORUS RUBRA.** Black Mulberry.  
**OXYDENDRUM.** Sourwood.  
**PLATANUS.** American Sycamore.  
**PRUNUS SEROTINA.** Blackcherry.  
**QUERCUS ALBA.** White Oak.  
**QUERCUS RUBRA.** Red Oak.  
**QUERCUS PHELLOS.** Willow Oak.  
**TILIA AMERICANA.** Basswood.  
**ULMUS AMERICANA.** American Elm.  
**ULMUS FULVA.** Slippery Elm.  
**VIBURNUM PRUNIFOLIUM.** Blackhaw.

IF INTERESTED IN LARGE SIZES IN SHADE TREES B&B OR BARE ROOTS WRITE US FOR SPECIAL QUOTATIONS IN TRUCK OR CAR LOAD LOTS.

X

O. H. PERRY NURSERY CO.  
Box 545  
McMINNVILLE, TENN.

## **AZALEA BAKERI. Bakers Azalea**

### **Is defined as follows.**

Shrub, 1-3 m. tall, with irregularly whorled branches, or tree-like. Young twigs light green, puberulent and sparingly strigose. Winter buds conical, 8-11 mm. long, yellowish; scales 15 or less, glabrous, ciliate, their tips mucronate or the lower prolonged into awns. Leaves elliptic in type, varying from narrowly to broadly so, usually acute and prominently gland-tipped; blades 2-8 cm. long, 0.5-3.25 cm. wide, thin, edges ciliate; above dark green and glabrous to light green and pubescent, the midrib always more or less strigose; beneath much lighter, glabrous, often shiny, or pubescent, the midrib always pubescent and strigose, veins strigillose; petioles 2-5 mm. long, pubescent. Flowers expanding from June 1st to August, after the leaves unfold, in usually 3-5 (7-9) flowered clusters, non-fragrant; bud-scales persisting. Pedicels 2-6 mm. long viscid, villose. Calyx-lobes of unequal length, elliptic-acuminate to deltoid-ovate, setose, ciliate. Corolla-tube 18-23 mm. long, strongly ridged, viscid, externally glandular-pubescent, internally pubescent; limb gradually expanding; lobes: upper ovate, lateral and lower elliptic, acute; all glandular-pubescent along midrib posteriorly; upper lobe 18-21 mm. long, 15-22 mm. wide; laterals 18-21 mm. long, 6-15 mm. wide; lower 21-25 mm. long, 10-15 mm. wide; corolla, from chrome-yellow tinged with orange-red to deep scarlet-orange tinged with ochraceous, the posterior midrib section in the darker flowers much lighter than the anterior section, the upper lobe usually of a much lighter shade, but not prominently blotched. Stamens: filaments more than twice as long as the corolla-tube, ascending, the exerted portion carmine and glabrous, that within the tube lighter and pubescent; anthers about 2 mm. long, ochraceous. Style carmine, its base pubescent. Capsule about 15 mm. long, strigose with appressed, gland-tipped hairs.

Note.—The flowering branches in this species are inclined to be flat-spreading and profusely flowering. The flowers are normally larger than *A. calendulacea*, often measuring 5-6 cm. wide. As the flower-buds expand, the light color of the posterior side of the midribs is prominent, particularly in the light color-form. During the study of this species a number of plants were found in the light color-form bearing flowers with 5-6 or 7 corolla-lobes and an equal number of stamens, but with only 5 calyx-lobes. The leaves of these specimens were inclined more to the obvate type.

